

Notes

Output Created		28-MAR-2007 11:44:11
Comments		
Input	Data	H:\MIT 530 Class.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=View Skills More Outlook Word Time Believe Usage MWord /STATISTICS=STDDEV SEMEAN MODE SKEWNESS SESKEW /ORDER= ANALYSIS .
Resources	Elapsed Time	0:00:00.00
	Total Values Allowed	149796

Frequency Table

View

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly Agree	10	38.5	38.5	38.5
	Agree	11	42.3	42.3	80.8
	Neutral	4	15.4	15.4	96.2
	Disagree	1	3.8	3.8	100.0
	Total	26	100.0	100.0	

Skills

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly Agree	3	11.5	11.5	11.5
	Agree	13	50.0	50.0	61.5
	Neutral	7	26.9	26.9	88.5
	Disagree	3	11.5	11.5	100.0
	Total	26	100.0	100.0	

More

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	1	3.8	3.8	3.8
	Strongly Agree	3	11.5	11.5	15.4
	Agree	13	50.0	50.0	65.4
	Neutral	6	23.1	23.1	88.5
	Disagree	3	11.5	11.5	100.0
	Total	26	100.0	100.0	

Outlook

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly Agree	19	73.1	73.1	73.1
	Agree	6	23.1	23.1	96.2
	Neutral	1	3.8	3.8	100.0
	Total	26	100.0	100.0	

Word

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Multiple times a day	14	53.8	53.8	53.8
	Once a day	9	34.6	34.6	88.5
	Occasionally	2	7.7	7.7	96.2
	Never	1	3.8	3.8	100.0
	Total	26	100.0	100.0	

Time

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	14	53.8	53.8	53.8
	Yes	12	46.2	46.2	100.0
	Total	26	100.0	100.0	

Believe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	2	7.7	7.7	7.7
	Strongly Agree	3	11.5	11.5	19.2
	Agree	15	57.7	57.7	76.9
	Neutral	5	19.2	19.2	96.2
	Disagree	1	3.8	3.8	100.0
	Total	26	100.0	100.0	

Usage

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	2	7.7	7.7	7.7
	Strongly Agree	3	11.5	11.5	19.2
	Agree	15	57.7	57.7	76.9
	Neutral	4	15.4	15.4	92.3
	Disagree	2	7.7	7.7	100.0
	Total	26	100.0	100.0	

MWord


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	5	19.2	19.2	19.2
	Yes	21	80.8	80.8	100.0


	Total	26	100.0	100.0	
--	--------------	----	-------	-------	--


Notes


Output Created		29-MAR-2007 09:00:17
Comments		
Input	Data	H:\MIT 530 Class.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	26
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=View Skills More Outlook Word Other Time Believe Usage MWord MWord1 /BARCHART PERCENT /ORDER= ANALYSIS .
Resources	Elapsed Time	0:00:00.09
	Total Values Allowed	149796


View





























[illegible]

Output Created		Notes	
		26 MAR 2007 10:40:10	
Comments			
Input	Data	H:\MET\538\Chen.sav	
	Filter	*none*	
	Weight	*none*	
	Split File	*none*	
	N of Rows in Working Data File	25	
Missing Value Handling		Definition of Missing: Use defined missing values are treated as missing. Cases Used: Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.	
System		T-TEST /FTESTVAL = 0 MISSING = ANALYSIS /VARIABLES = Other Time /CRITERIA = /CL(90)	
Resources	Elapsed Time	0:00:00.14	